

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	80307	read\$5 with writ\$5 with tim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 11:00
L3	3467	2 with relat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 11:01
L4	674	2 with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 11:02
L5	918	3.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 13:30
L6	260	4.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 11:02
L7	584	3.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/23 13:30
S1	4	("6701450" "6526434").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:42
S2	399	monitor\$6 with cpu with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:34
S3	877	monitor\$6 with cpu with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:03

EAST Search History

S4	20853	data with backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:35
S5	1	(S2 or S3) same S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:39
S6	158	(S2 or S3).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:38
S7	21	(S2 or S3) same back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:28
S8	239	down\$1time with back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:04
S9	26	S8.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:42
S10	78	back\$1up with cpu with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:27
S11	67	back\$1up with bus with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 12:08
S12	937	monitor\$6 with (bus or I\$10) with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:45
S13	10	S12 same back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:36

EAST Search History

S14	142	S12.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:36
S15	32600	(bus or I\$10) with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:36
S16	240	S15 same back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:36
S17	18	S16.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:36
S18	16205	threshold with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:24
S19	164	S18 with (bus or I\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:15
S20	1	("5392244").PN. OR ("6898667"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 10:38
S21	92	("5155835" "5195100" "5237658" "5278838" "5287462" "5289418" "5297258").PN. OR ("5392244").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/24 10:38
S22	76	S21 and (threshold or utili\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:24
S23	5	S21 and (threshold same utili\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:28

EAST Search History

S24	14	S21 and ((bus or I\$10) with utili\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:29
S25	5	S21 and (cpu with utili\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:31
S26	526	time with resource with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:21
S27	189	time with I/O with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:30
S28	118	(S26 or S27) with (above or below)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:28
S29	1003	threshold with back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:28
S30	257	S29.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:29
S31	0	S30 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:21
S32	8	S29 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 10:31
S33	16220	utili\$7 with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:30

EAST Search History

S34	145	S33 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:30
S35	1905	S33 with tim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:31
S36	32	S33 and 710/6,18,29,58-60,117, 124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:30
S37	3686	bandwidth with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:30
S38	45	S37 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:10
S39	8	S37 and 710/6,18,29,58-60,117, 124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:29
S40	667	S37 with tim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 11:31
S41	16217	threshold with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:43
S42	164	S41 with (bus or I\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:42
S43	32635	(bus or I\$10) with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:43

EAST Search History

S44	20787	(bus or I\$1O) near5 utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 12:43
S45	130	S43 with percentage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:44
S46	70	I/O with timeout with period	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:46
S47	2421	back\$1up with period with time\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:45
S48	2443	back\$1up with period with tim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:45
S49	10	S48 with I/O	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 16:46
S50	47	("4817035" "4899342" "4914656" "4942579" "5109505").PN. OR ("5402428").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 16:56
S51	515	time with last with back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:45
S52	15	S51 with monitor\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:02
S53	81	backup with idle with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:03
S54	33	backup with idle with time	USPAT	OR	ON	2005/10/28 15:04

EAST Search History

S55	15	backup with (utilization or activity) with threshold	USPAT	OR	ON	2005/10/28 15:06
S56	370	backup with threshold	USPAT	OR	ON	2005/10/28 15:05
S57	1	backup with threshold with idle	USPAT	OR	ON	2005/10/28 15:06
S58	369	backup with (utilization or activity)	USPAT	OR	ON	2005/10/28 15:14
S59	23	backup with (utilization or activity) with (I/O or bus or CPU or resource)	USPAT	OR	ON	2005/10/28 15:06
S60	9	backup with (utilization or activity) with start\$5	USPAT	OR	ON	2005/10/28 15:15
S61	58	backup.ti,ab. and (utilization or activity) with (I/O or bus or CPU or resource)	USPAT	OR	ON	2005/10/28 15:19
S62	15	("20020165961" "5517555" "5729735" "5754782" "5758359" "5796999" "5813017" "5857208" "5890165" "5958012" "6006227" "6026414" "6035412" "6038569" "6289380").PN. OR ("6745210"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 15:18
S63	88	back\$1up with schedul\$6 and (utilization or activity) with (I/O or bus or CPU or resource)	USPAT	OR	ON	2005/10/28 15:19
S64	1625	back\$1up and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:22
S65	99	back\$1up and 710/6,18,29,58-60, 117,124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:28
S66	879	monitor\$6 with cpu with utili\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:28
S67	156	back\$1up and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:28
S68	19	back\$1up same S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:28

EAST Search History

S70	258	monitor\$6 with (utili\$6 or activity) with back\$1up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:04
S71	151	monitor\$6 with (utili\$6 or activity) with back\$1up	USPAT	OR	ON	2005/10/28 16:06
S72	23	idle with (data near3 back\$1up)	USPAT	OR	ON	2005/10/28 16:06
S73	20	("6665815" "6101585" "6880051" "6847983" "6829688" "6526434" "20030145248" "20040030852" "20030177149" "20030163493").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 22:40
S74	7846	schedul\$6 with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 22:40
S75	0	S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 22:41
S76	104	S74 with weight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:13
S77	97	S74 with (i\$1o or input\$1output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:31
S78	113098	first with (metric or measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:05
S79	107952	second with (metric or measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:13
S80	57537	S78 with S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:05

EAST Search History

S81	91	S80 with schedul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:11
S82	196549	first near7 relative near7 second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 08:59
S83	75	S82 with schedul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:11
S84	1858	S82 with (metric or measurement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:13
S85	1958	S82 with weight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:13
S86	39	S84 with weight\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 23:13
S87	6	("6091709" "6104700" "6269079" "6538992" "6570876" "6678248").PN. OR ("6895012"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/14 23:22
S88	43	("4852001" "5408663").PN. OR ("5826236").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/15 07:57
S89	7846	first with second with schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:00
S90	6	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:00

EAST Search History

S91	105207	first with second and schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:00
S92	13943	first with second same schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:00
S93	10	S88 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 09:00
S94	5509	(read\$5 near5 relat\$6 near "7" writ\$6) with schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:04
S95	30	(read\$5 near5 relat\$6 near7 writ\$6) with schedul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:54
S96	216	user near4 threshold with utiliz\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:30
S97	13079	below near4 threshold with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:30
S98	25	S97 with (i\$1o or input\$1output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:31
S99	292	user with schedul\$6 with (i\$1o or input\$1output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/19 11:25
S10 0	29	user with schedul\$6 and 710/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 10:44